

PARACHUTE INDONESIA

MAIN STATIC CONTAINER MSTC1-PI

PARACHUTE ENGINEERING

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSITO, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA
JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

PARACHUTE INDONESIA
MSTC1-PI

DRAWING:

REVISION:

SCALE: NONE

SHEET: 1

PARACHUTE INDONESIA

MSTC 1-PI

INDEX:

HALAMAN	KETERANGAN
1	JUDUL
2	INDEX
3	OVERVIEW
4	OPENED VIEW
5	MAIN PACK PATTERN
6	CLOSING LOOP TAPE A
7	DIAGONAL RETAINER
8	RETAINER SNAP STUD
9	HORIZONTAL RETAINER
10	CONTROL TAG POCKET
11	FLAP PATTERN
12	STATIC LINE RETAINER
13	CLOSING LOOP TAPE B
14	CENTER FABRIC
15	MATERIAL LIST

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSITO, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA
JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

PARACHUTE INDONESIA
MSTC 1-PI

DRAWING:

REVISION:

SCALE: NONE

SHEET: 2


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



OVERVIEW

NOT FOR SCALE	PREPARED BY: ARGO.P	DATE:	PARACHUTE INDONESIA Jl. Gading Griya Lestari Raya Blok H1 no. 43 Sukapura, Jakarta Utara 14140, Indonesia	FRONT VIEW OVERVIEW	
	CHECKED BY: R. ADIMURSI, M.eng, CA	DATE:		DRAWING:	REVISION:
	QC APPROVED:	DATE:		SCALE: NONE	SHEET: 3
	CONTRACT NO:				


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



OPENED VIEW

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

OPENED VIEW

DRAWING:

REVISION:

SCALE: NONE

SHEET: 4



NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



MAIN PACK PATTERN

NOT FOR SCALE	PREPARED BY: ARGO.P	DATE:	PARACHUTE INDONESIA JL. Gading Griya Lestari Raya Blok H1 no. 43 Sukapura, Jakarta Utara 14140, Indonesia	MAIN PACK PATTERN	
	CHECKED BY: R. ADIMURSITO, M.eng, CA	DATE:		DRAWING:	REVISION:
	QC APPROVED:	DATE:		SCALE: NONE	SHEET: 5
	CONTRACT NO:				

NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.


2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.


4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.

86.1 CM


FOLD INTO TWO



Details For Forming And Waxing Loop



86.1 CM TAPE END



CLOSING LOOP TAPE

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

CLOSING LOOP TAPE

DRAWING:

REVISION:

SCALE: NONE

SHEET: 6


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.


2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



DIAGONAL
RETAINER



NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

DIAGONAL RETAINER

DRAWING:

REVISION:

SCALE: NONE

SHEET: 7


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



RETAINER SNAP
STUD

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

RETAINER SNAP STUD

DRAWING:

REVISION:

SCALE: NONE

SHEET: 8



NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



HORIZONTAL RETAINER

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

HORIZONTAL RETAINER

DRAWING:

REVISION:

SCALE: NONE

SHEET: 9


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



CONTROL TAG
POCKET

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSI, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

CONTROL TAG POCKET

DRAWING:

REVISION:

SCALE: NONE

SHEET: 10


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



FLAP PATTERN

NOT FOR SCALE	PREPARED BY: ARGO.P	DATE:	PARACHUTE INDONESIA JL. Gading Griya Lestari Raya Blok H1 no. 43 Sukapura, Jakarta Utara 14140, Indonesia	FLAP PATTERN	
	CHECKED BY: R. ADIMURSI, M.eng, CA	DATE:		DRAWING:	REVISION:
	QC APPROVED:	DATE:		SCALE: NONE	SHEET: 11
	CONTRACT NO:				


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.


2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.


4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



RAW CUT



FINAL MEASUREMENTS



STATIC LINE
RETAINER

NOT FOR SCALE

PREPARED BY:
ARGO.P

DATE:

CHECKED BY:
R. ADIMURSTO, M.eng, CA

DATE:

QC APPROVED:

DATE:

CONTRACT NO:

PARACHUTE INDONESIA

JL. Gading Griya Lestari Raya Blok H1 no. 43
Sukapura, Jakarta Utara 14140,
Indonesia

STATIC LINE RETAINER

DRAWING:

REVISION:

SCALE: NONE

SHEET: 12


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.


2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.


4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



FOLD INTO TWO



Details For Forming And Waxing Loop



CLOSING LOOP TAPE

NOT FOR SCALE	PREPARED BY: ARGO.P	DATE:	PARACHUTE INDONESIA JL. Gading Griya Lestari Raya Blok H1 no. 43 Sukapura, Jakarta Utara 14140, Indonesia	CLOSING LOOP TAPE	
	CHECKED BY: R. ADIMURSI TO, M.eng, CA	DATE:		DRAWING:	REVISION:
	QC APPROVED:	DATE:		SCALE: NONE	SHEET: 13
	CONTRACT NO:				


NOTES:

1. BARTACK: NYLON "E" THREAD, 32-40 STICHES OR "304" TYPE 12-14 S.P.I OR "308" TYPE, 7-10 S.P.I.

2. DIMENSIONS OF EACH ITEM ARE DETERMINED BY THE APPROPRIATE PATTERN PIECE FOR THE SIZE OF THE PARACHUTE

3. ALL STICHING IS TYPE "301" NYLON "E" THREAD UNLESS NOTED OTHERWISE.

4. STAINLESS STEEL HARDWARE WHEN AVAILABLE AND CERTIFIED.



CENTER
FABRIC

NOT FOR SCALE	PREPARED BY: ARGO.P	DATE:	PARACHUTE INDONESIA JL. Gading Griya Lestari Raya Blok H1 no. 43 Sukapura, Jakarta Utara 14140, Indonesia	CENTER FABRIC	
	CHECKED BY: R. ADIMURSI, M.eng, CA	DATE:		DRAWING:	REVISION:
	QC APPROVED:	DATE:		SCALE: NONE	SHEET: 14
	CONTRACT NO:				